

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L86160-11-20700102-1
Report Reference E86160-20100702
Date 6-Oct-2021

Issued to: EURO THERM AUTOMATION SAS
6 CHEMIN DES JONCS
BP 55 DARDILLY CEDEX
France 69574

This is to certify that representative samples of NRNT - Switches, Industrial Control
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-4-1, 3rd Ed., Issue Date: 2014-04-04, Revision Date: 2017-10-17, UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L86160-11-20700102-1
Report Reference E86160-20100702
Date 6-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
EPower, followed by 1PH, 2PH, 3PH or 4PH, followed by 50, 100, 160, 250, 400, 500 or 630, followed by 600V, followed by 115 or 230V, followed by additional characters, followed by XX, Y2, PB, ET, DN, IP, PN, CC, 2E, 2P, 2I followed by XX or IO, followed by XX or IO, followed by XX or IO followed by XXX or PLM, followed by XX or XF	Industrial Control Switches



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L86160-41-20700102-1
Report Reference E86160-20100702
Date 6-Oct-2021

Issued to: EUROTHERM AUTOMATION SAS
6 CHEMIN DES JONCS
BP 55 DARDILLY CEDEX
France 69574

This is to certify that representative samples of NRNT7 - Switches, Industrial Control Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: CSA C22.2 NO. 60947-4-1, 2nd Ed., Issue Date: 2014-04-04, Revised 2018-05, CSA C22.2 NO. 60947-1-13, 2nd Ed., Issue Date: 2013-07-31

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L86160-41-20700102-1
Report Reference E86160-20100702
Date 6-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
EPower, followed by 1PH, 2PH, 3PH or 4PH, followed by 50, 100, 160, 250, 400, 500 or 630, followed by 600V, followed by 115 or 230V, followed by additional characters, followed by XX, Y2, PB, ET, DN, IP, PN, CC, 2E, 2P, 2I followed by XX or IO, followed by XX or IO, followed by XX or IO followed by XXX or PLM, followed by XX or XF	Industrial Control Switches



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

