


Product End of Life Instructions

6100A (Paperless Graphic Recorder)





Life Is On

Eurotherm.
by Schneider Electric

Potential disassembly risks

No specific disassembly risks have been identified for this product.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other battery	3,2	
To be depolluted	2	Electronic Board (Communication) > 10cm ²	476	
To be depolluted	3	LCD (surface > 100cm ²) and all those back-lighted with gas discharge lamps	187	
To be depolluted	4	Other plastic parts with brominated flame retardants	157	Mass includes the brominated flame retardant.
To be depolluted	5	Electronic Board (Power) > 10cm ²	245	
To be depolluted	6	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	23	
To be dismantled	7	Front Fascia / Zamak alloy	397	
To be dismantled	8	Chassis Parts / Steel	1382	All main steel case parts can be dismantled
To be dismantled	9	Chassis Parts / Aluminium	38	



Product description

Manufacturer identification	Eurotherm
Brand name	Eurotherm
Product function	A high accuracy and configurable graphical recorder with 5.5" ¼ VGA touchscreen display to enable operators to clearly view process data in varying formats. Data is stored in a tamper-resistant binary format that can be used for secure, long term records.
Product reference	6100A
Additional similar product references	6100A
Total representative product mass	3269,6 g
Representative product dimensions	144mm x 144mm x 271.25mm
Accessories	0
Date of information release	09/2017



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	0	
Recyclability potential	60%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

This page is intentionally left blank

Eurotherm

<https://www.eurotherm.co.uk/services>

+44 1903 268500

Faraday Close

Worthing

BN13 3PL

United Kingdom

www.eurotherm.co.uk

www.schneider-electric.com

Published by Schneider Electric

© 2017 - Schneider Electric – All rights reserved