


Product End of Life Instructions

6180A (Paperless Graphic Recorder)





Life Is On

Eurotherm.
by **Schneider** Electric

Potential disassembly risks

No specific disassembly risks have been Identified for this product.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other battery	3,2	
To be depolluted	2	Electronic Board (Communication) > 10cm ²	867	
To be depolluted	3	LCD (surface > 100cm ²) and all those back-lighted with gas discharge lamps	500	
To be depolluted	4	Other plastic parts with brominated flame retardants (cable harness and 22-way connectors)	830	Mass includes the brominated flame retardant.
To be depolluted	5	Electronic Board (Power) > 10cm ²	221	
To be depolluted	6	Electrolyte capacitors which size: height > 25 mm, diameter > 25 mm or proportionately similar volume	23	
To be dismantled	7	Front Fascia / Zamak alloy	1397	
To be dismantled	8	Case Parts / Steel	4608	All main steel case parts can be dismantled.
To be dismantled	9	Case Parts / Aluminium	431	



Product description

Manufacturer identification	Eurotherm
Brand name	Eurotherm
Product function	A high accuracy and configurable graphical recorder with 12.1" XGA touchscreen display to enable operators to clearly view process data in varying formats. Data is stored in a tamper-resistant binary format that can be used for secure long term records.
Product reference	6180A
Additional similar product references	6180A
Total representative product mass	10018.02 g
Representative product dimensions	292mm x 292mm x 289.24mm
Accessories	0
Date of information release	09/2017



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	N/A	
Recyclability potential	68%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

This page is intentionally left blank

Eurotherm

<https://www.eurotherm.co.uk/services>

+44 1903 268500

Faraday Close

Worthing

BN13 3PL

United Kingdom

www.eurotherm.co.uk

www.schneider-electric.com

Published by Schneider Electric

© 2017 - Schneider Electric – All rights reserved