

Paper

Chart recorders



imagine making the
impossible possible

4000 Series and Circular Recorders

4102 Configurable recorder



- Digital display
- User configurable
- Input adjust
- Remote chart control

Available as either a 4 pen continuous or 6 pen multi-point recorder the 4102 is ideal for simple, low cost applications. The standard digital display allows viewing of Process Variables and provides indication of alarm status.

4103 Programmable recorder



- Digital and bargraph display
- Data archiving
- Communications
- Powerful maths pack

The 4103 is a high specification chart recorder, with annotation and basic maths fitted as standard. Optional add on features such as a PCMCIA card slot and Modbus communications make this an ideal Data Acquisition unit.

392 Circular recorder




- Choice of up to 4 Pens
- Clear Circular Chart
- User Configurable
- Custom Linearisation

The 392 circular chart recorder is particularly useful if you need to review longer-term trends in a single glance. The choice of 12 hour, 24 hour or 7 day charts assist with this. Another option is the extremely useful maths pack further increasing the recorder's capabilities.

4000 Series Software Packages


Review



- Off-line Package
- Secure Database
- Chart Display & Printing
- Remote File Transfer

Eurotherm Review software allows archived data to be viewed off-line via a PC. Packed data files from the recorders local media are transferred into the Review database. Charts can then be created for viewing and printing or exported as a CSV file to standard spreadsheet packages.

4000 Configuration editor




- Easy to Use
- Off-line Configuration
- Channel Copy Function
- Configuration Transfer

Allows configurations to be created, or modified off-line and transferred directly to a recorder via an integral connector or optional communications port. Alternatively configuration files can be saved to a PCMCIA data card.

Selection Guide

Paper	Strip Chart				Circular
					
Features	4102C	4102M	4103C	4103M	392
Inputs	4	6	4	6	4
Chart Width	100mm		100mm		10" circular
Protection	IP54		IP54		NEMA 4X
Relay Outputs	●		●		●
Annotation	●		●		none
Contact Inputs	none		●		●
Modbus (Serial)	none		Slave		none
Removable/Data Storage	none		●		none
Mathematics	none		●		●
Counters	none		●		none
Timers	none		●		●
Totalisers	none		●		●
Controllers	none		none		●
PC Configuration	●		●		none



Secure Data

Recorder data is logged in a binary format, compressed using a proprietary algorithm, encoded and check summed to inhibit data tampering.

Minimum System Requirements

1. The PC must be running Windows XP*, SP3, Windows Server 2003 or Windows 7 (32-bit editions).
2. For all operating systems, Internet Explorer 4.01 (or later) must be installed.
3. The PC must be set to at least 65536 colours
4. At least 1GB RAM is required.

- Off-line Software
- Modem Support
- Secure Data
- Data Export

Eurotherm:

International sales and service



www.eurotherm.com

Eurotherm is also represented in the following countries:

Afghanistan	Latvia
Albania	Lesotho
Algeria	Libya
Angola	Lithuania
Argentina	Macedonia
Armenia	Madagascar
Azerbaijan	Malaysia
Bahrain	Malta
Bangladesh	Micronesia
Barbados	Moldova
Belarus	Morocco
Bermuda	Mozambique
Bolivia	Myanmar
Bosnia and Herzegovina	Namibia
Botswana	Nicaragua
Brazil	Niger
Brunei Darussalam	Nigeria
Bulgaria	Norway
Cambodia	Oman
Cameroon	Pakistan
Canada	Palestinian Territory
Central African Republic	Papua New Guinea
Chad	Paraguay
Chile	Peru
Colombia	Philippines
Congo	Poland
Costa Rica	Qatar
Côte d'Ivoire	Romania
Croatia	Russia
Cyprus	Rwanda
Czech Republic	Saudi Arabia
Denmark	Senegal
Djibouti	Serbia and Montenegro
Ecuador	Sierra Leone
Egypt	Singapore
El Salvador	Slovakia
Eritrea	Slovenia
Estonia	Somalia
Ethiopia	South Africa
Fiji	Sri Lanka
Finland	Sudan
Georgia	Swaziland
Ghana	Syria
Greece	Tajikistan
Greenland	Tanzania
Guinea	Thailand
Hungary	The Gambia
Iceland	Tunisia
Indonesia	Turkey
Iraq	Turkmenistan
Israel	Uganda
Jamaica	Ukraine
Japan	United Arab Emirates
Jordan	Uruguay
Kazakhstan	Uzbekistan
Kenya	Venezuela
Kuwait	Vietnam
Kyrgyzstan	Yemen
Laos	Zambia
	Zimbabwe

AUSTRALIA Melbourne
Invensys Process Systems
Australia Pty. Ltd.
T (+61 0) 8562 9800
F (+61 0) 8562 9801
E info.eurotherm.au@invensys.com

AUSTRIA Vienna
Eurotherm GmbH
T (+43 1) 7987601
F (+43 1) 7987605
E info.eurotherm.at@invensys.com

BELGIUM & LUXEMBOURG
Moha
Eurotherm S.A./N.V.
T (+32) 85 274080
F (+32) 85 274081
E info.eurotherm.be@invensys.com

BRAZIL Campinas-SP
Eurotherm Ltda.
T (+5519) 3707 5333
F (+5519) 3707 5345
E info.eurotherm.br@invensys.com

CHINA
Eurotherm China
T (+86 21) 61451188
F (+86 21) 61452602
E info.eurotherm.cn@invensys.com

Beijing Office
T (+86 10) 5909 5700
F (+86 10) 5909 5709/5909 5710
E info.eurotherm.cn@invensys.com

FRANCE Lyon
Eurotherm Automation SA
T (+33 478) 664500
F (+33 478) 352490
E info.eurotherm.fr@invensys.com

GERMANY Limburg
Eurotherm Deutschland GmbH
T (+49 6431) 2980
F (+49 6431) 298119
E info.eurotherm.de@invensys.com

INDIA Mumbai
Invensys India Pvt. Ltd.
T (+91 22) 67579800
F (+91 22) 67579999
E info.eurotherm.in@invensys.com

IRELAND Dublin
Eurotherm Ireland Limited
T (+353 1) 4691800
F (+353 1) 4691300
E info.eurotherm.ie@invensys.com

ITALY Como
Eurotherm S.r.l.
T (+39 031) 975111
F (+39 031) 977512
E info.eurotherm.it@invensys.com

KOREA Seoul
Invensys Operations Management
Korea
T (+82 2) 2090 0900
F (+82 2) 2090 0800
E info.eurotherm.kr@invensys.com

NETHERLANDS Alphen a/d Rijn
Eurotherm B.V.
T (+31 172) 411752
F (+31 172) 417260
E info.eurotherm.nl@invensys.com

POLAND Katowice
Invensys Eurotherm Sp z o.o.
T (+48 32) 7839500
F (+48 32) 7843608/7843609
E info.eurotherm.pl@invensys.com

SPAIN Madrid
Eurotherm España SA
T (+34 91) 6616001
F (+34 91) 6619093
E info.eurotherm.es@invensys.com

SWEDEN Malmo
Eurotherm AB
T (+46 40) 384500
F (+46 40) 384545
E info.eurotherm.se@invensys.com

SWITZERLAND Wollerau
Eurotherm Produkte (Schweiz) AG
T (+41 44) 7871040
F (+41 44) 7871044
E info.eurotherm.ch@invensys.com

UNITED KINGDOM Worthing
Eurotherm Limited
T (+44 1903) 268500
F (+44 1903) 265982
E info.eurotherm.uk@invensys.com

U.S.A. Ashburn VA
Eurotherm Inc.
T (+1 703) 724 7300
F (+1 703) 724 7301
E info.eurotherm.us@invensys.com

ED63

Represented by:

© Copyright Eurotherm Limited 2011

Invensys, Eurotherm, the Eurotherm logo, Chessell, EurothermSuite, Mini8, Eycan, Eyris, EPower, nanodac and Wonderware are trademarks of Invensys plc, its subsidiaries and affiliates. All other brands may be trademarks of their respective owners.

All rights are strictly reserved. No part of this document may be reproduced, modified, or transmitted in any form by any means, nor may it be stored in a retrieval system other than for the purpose to act as an aid in operating the equipment to which the document relates, without the prior written permission of Eurotherm limited.

Eurotherm Limited pursues a policy of continuous development and product improvement. The specifications in this document may therefore be changed without notice. The information in this document is given in good faith, but is intended for guidance only.

Eurotherm Limited will accept no responsibility for any losses arising from errors in this document.



invensys
Operations Management