

# Thermal Survey Report

Temperature Uniformity Survey  
Reporting Package



imagine making the  
impossible possible

With our range of recorders and software, your data is captured and stored very easily. **Imagine** the ease of automated reporting from secure data and imagine access to this information when and where you need it - add to this, an absolute commitment to technological innovation, constant reinvestment in research and development, and a team who understand your process requirements; we can and do **imagine** making the impossible possible for our customers.

# Automated Temperature Uniformity Survey reporting

*Part of AMS2750 pyrometry compliance*



Temperature Uniformity Survey reports are a mandatory part of AMS2750 pyrometry compliance and the report content and format are well defined in the specification.

With the advent of digital recorders it is possible to take the output from the survey recorder and automate the production of the report. This adds a desirable level of efficiency to the whole process of thermal process equipment accreditation. This new package automates the production of survey reporting by combining the secure (.uhh files) data from a Field Test Instrument with the database management of Eurotherm Review. This directly produces reports which comply with the requirements of AMS2750 without exposing data from tamperproof files.

- Assists compliance to AMS2750
- Suitable for in house or 3rd party pyrometry/survey engineers
- Secure PDF reports
- NO access to raw data during report generation
- Links effortlessly with the Eurotherm Review database
- Multiple furnace data stored within the package for retrieval for repeat surveys
- Pass/Fail based on mathematical assessment of raw data and correction factors
- Windows Xp and Windows 7 compliant
- No Excel or intermediate software packages required

## Setup


Set mode will allow the pyrometry engineer to determine the scope of the temperature uniformity test for an individual furnace or piece of thermal processing plant.

The user is prompted to complete a number of survey specific pages which relate to the thermal processing equipment under test e.g. set points, survey thermocouple serial numbers and corrections factors, and process Class and Instrument Type

## Customise

Initial Setup: the Thermal Survey Report can be customised to include company logos, local date and temperature unit formats, and repeat set up notes can be directly entered in to the report against a mix of fixed and free format fields reducing operator input.

Profiles: data profiles can be stored and retrieved for repeat survey for each piece of process plant.



imagine absolute data records forever

inventys  
Eurotherm

## Reports

Report generation mode produces an auditable report by associating criteria entered in the setup data with a defined secure .uhh data file from the Field Test Instrument.

Options of report output allow for printing of summary sheets and charts or actual results in tabular format. Included in the report is furnace overshoot and undershoot information along with operator notes associated with actions taken during the test, and a sign off sheet with pass/fail indication. The report can be regenerated at anytime without corrupting the core data by re-specifying the test setup criteria and re-running the report. Printing direct to a printer or filed as PDF straight to a target folder are standard.

The report is suitable for use with up to 48 Survey Sensors and up to 7 Survey setpoints - across a single working volume.

The collage displays several pages from a Eurotherm report, including:

- Page 2:** Summary of survey report number, customer (Hot House Heat Treat), furnace identifier (Precipitation A), and equipment classes table.
- Page 1:** UKAS Accredited Service Provider information, supplier details, and a detailed survey report header with fields for furnace identifier, manufacturer, model, serial number, instrument type, survey date/time, data source, test method, and survey engineer.
- Page 12:** A data table for Setpoint 1250.0 °C, showing temperature readings for various channels (TC1-TC9) at multiple time intervals.
- Page 14:** A trend graph for Setpoint 750.0 °C, showing temperature over time for multiple channels.
- Page 17:** A summary trend graph for Hot House Heat Treat Precipitation A, showing temperature over time for multiple channels.
- Declaration Page:** A sign-off sheet with fields for signed, printed, and dated by Peter Jenkins and Kevin Robinson, indicating the survey results meet the defined criteria.

# Eurotherm: International sales and service



[www.eurotherm.com](http://www.eurotherm.com)

Eurotherm is also represented in the following countries:

Afghanistan	Latvia
Albania	Lesotho
Algeria	Libya
Angola	Lithuania
Argentina	Macedonia
Armenia	Madagascar
Azerbaijan	Malaysia
Bahrain	Malta
Bangladesh	Micronesia
Barbados	Moldova
Belarus	Morocco
Bermuda	Mozambique
Bolivia	Myanmar
Bosnia and Herzegovina	Namibia
Botswana	Nicaragua
Brazil	Niger
Brunei Darussalam	Nigeria
Bulgaria	Norway
Cambodia	Oman
Cameroon	Pakistan
Canada	Palestinian Territory
Central African Republic	Papua New Guinea
Chad	Paraguay
Chile	Peru
Colombia	Philippines
Congo	Poland
Costa Rica	Qatar
Côte d'Ivoire	Romania
Croatia	Russia
Cyprus	Rwanda
Czech Republic	Saudi Arabia
Denmark	Senegal
Djibouti	Serbia and Montenegro
Ecuador	Sierra Leone
Egypt	Singapore
El Salvador	Slovakia
Eritrea	Slovenia
Estonia	Somalia
Ethiopia	South Africa
Fiji	Sri Lanka
Finland	Sudan
Georgia	Swaziland
Ghana	Syria
Greece	Tajikistan
Greenland	Tanzania
Guinea	Thailand
Hungary	The Gambia
Iceland	Tunisia
Indonesia	Turkey
Iraq	Turkmenistan
Israel	Uganda
Jamaica	Ukraine
Japan	United Arab Emirates
Jordan	Uruguay
Kazakhstan	Uzbekistan
Kenya	Venezuela
Kuwait	Vietnam
Kyrgyzstan	Yemen
Laos	Zambia
	Zimbabwe

**AUSTRALIA** Melbourne  
Invensys Process Systems  
Australia Pty. Ltd.  
**T** (+61 0) 8562 9800  
**F** (+61 0) 8562 9801  
**E** [info.eurotherm.au@invensys.com](mailto:info.eurotherm.au@invensys.com)

**AUSTRIA** Vienna  
Eurotherm GmbH  
**T** (+43 1) 7987601  
**F** (+43 1) 7987605  
**E** [info.eurotherm.at@invensys.com](mailto:info.eurotherm.at@invensys.com)

**BELGIUM & LUXEMBOURG**  
Moha  
Eurotherm S.A./N.V.  
**T** (+32) 85 274080  
**F** (+32) 85 274081  
**E** [info.eurotherm.be@invensys.com](mailto:info.eurotherm.be@invensys.com)

**BRAZIL** Campinas-SP  
Eurotherm Ltda.  
**T** (+5519) 3707 5333  
**F** (+5519) 3707 5345  
**E** [info.eurotherm.br@invensys.com](mailto:info.eurotherm.br@invensys.com)

**CHINA**  
Eurotherm China  
**T** (+86 21) 61451188  
**F** (+86 21) 61452602  
**E** [info.eurotherm.cn@invensys.com](mailto:info.eurotherm.cn@invensys.com)

Beijing Office  
**T** (+86 10) 5909 5700  
**F** (+86 10) 5909 5709/10  
**E** [info.eurotherm.cn@invensys.com](mailto:info.eurotherm.cn@invensys.com)

**FRANCE** Lyon  
Eurotherm Automation SA  
**T** (+33 478) 664500  
**F** (+33 478) 352490  
**E** [info.eurotherm.fr@invensys.com](mailto:info.eurotherm.fr@invensys.com)

**GERMANY** Limburg  
Eurotherm Deutschland GmbH  
**T** (+49 6431) 2980  
**F** (+49 6431) 298119  
**E** [info.eurotherm.de@invensys.com](mailto:info.eurotherm.de@invensys.com)

**INDIA** Mumbai  
Invensys India Pvt. Ltd.  
**T** (+91 22) 67579800  
**F** (+91 22) 67579999  
**E** [info.eurotherm.in@invensys.com](mailto:info.eurotherm.in@invensys.com)

**IRELAND** Dublin  
Eurotherm Ireland Limited  
**T** (+353 1) 4691800  
**F** (+353 1) 4691300  
**E** [info.eurotherm.ie@invensys.com](mailto:info.eurotherm.ie@invensys.com)

**ITALY** Como  
Eurotherm S.r.l  
**T** (+39 031) 975111  
**F** (+39 031) 977512  
**E** [info.eurotherm.it@invensys.com](mailto:info.eurotherm.it@invensys.com)

**KOREA** Seoul  
Invensys Operations Management  
Korea  
**T** (+82 2) 2090 0900  
**F** (+82 2) 2090 0800  
**E** [info.eurotherm.kr@invensys.com](mailto:info.eurotherm.kr@invensys.com)

**NETHERLANDS** Alphen a/d Rijn  
Eurotherm B.V.  
**T** (+31 172) 411752  
**F** (+31 172) 417260  
**E** [info.eurotherm.nl@invensys.com](mailto:info.eurotherm.nl@invensys.com)

**POLAND** Katowice  
Invensys Eurotherm Sp z o.o.  
**T** (+48 32) 7839500  
**F** (+48 32) 7843608/7843609  
**E** [info.eurotherm.pl@invensys.com](mailto:info.eurotherm.pl@invensys.com)

**SPAIN** Madrid  
Eurotherm España SA  
**T** (+34 91) 6616001  
**F** (+34 91) 6619093  
**E** [info.eurotherm.es@invensys.com](mailto:info.eurotherm.es@invensys.com)

**SWEDEN** Malmö  
Eurotherm AB  
**T** (+46 40) 384500  
**F** (+46 40) 384545  
**E** [info.eurotherm.se@invensys.com](mailto:info.eurotherm.se@invensys.com)

**SWITZERLAND** Wollerau  
Eurotherm Produkte (Schweiz) AG  
**T** (+41 44) 7871040  
**F** (+41 44) 7871044  
**E** [info.eurotherm.ch@invensys.com](mailto:info.eurotherm.ch@invensys.com)

**UNITED KINGDOM** Worthing  
Eurotherm Limited  
**T** (+44 1903) 268500  
**F** (+44 1903) 265982  
**E** [info.eurotherm.uk@invensys.com](mailto:info.eurotherm.uk@invensys.com)

**U.S.A.** Ashburn VA  
Invensys Eurotherm  
**T** (+1 703) 724 7300  
**F** (+1 703) 724 7301  
**E** [info.eurotherm.us@invensys.com](mailto:info.eurotherm.us@invensys.com)

ED64

Represented by:

© Copyright Eurotherm Limited 2011

Invensys, Eurotherm, the Eurotherm logo, Chessell, EurothermSuite, Mini8, Eycan, Eyris, EPower, nanodac, Foxboro and Wonderware are trademarks of Invensys plc, its subsidiaries and affiliates. All other brands may be trademarks of their respective owners.

All rights are strictly reserved. No part of this document may be reproduced, modified, or transmitted in any form by any means, nor may it be stored in a retrieval system other than for the purpose to act as an aid in operating the equipment to which the document relates, without the prior written permission of Eurotherm Limited.

Eurotherm Limited pursues a policy of continuous development and product improvement. The specifications in this document may therefore be changed without notice. The information in this document is given in good faith, but is intended for guidance only.

Eurotherm Limited will accept no responsibility for any losses arising from errors in this document.



**invensys**  
Operations Management